



## CODE QUIZ

June 2026

1. Per the 2025 California Plumbing Code, Section 608.7, when a water heater is installed \_\_\_\_\_ the elevation of the fixture outlets in the hot water distribution system, a vacuum relief valve is required that complies with ANSI Z21.22/CSA 4.4 and shall be installed on the storage tank or heater.
  - a. Below
  - b. Above
  - c. At the Same
  - d. Both a and b
  
2. Per the 2025 California Plumbing Code, Section 605.12, PVC Plastic Pipe and Joints, PVC plastic pipe and fitting joining methods shall be installed in accordance with the manufacturer's installation instructions and shall comply with Section 605.12.1 through Section 605.12.3. PVC piping shall not be exposed to direct sunlight, unless:
  - a. The entire length of the above-ground PVC is painted.
  - b. All PVC above Ground is less than 24 inches in length and painted.
  - c. There is less than 24 inches exposed to sunlight and is wrapped with 40 mill thick UV-resistant tape or otherwise protected from UV degradation.
  - d. There is less than 24 inches of pipe exposed to sunlight.
  
3. Per the 2025 California Plumbing Code, Section 1210.3, Gas Piping installed aboveground where passing through an exterior wall, the piping shall also be protected from corrosion by coating or wrapping with an inert material approved for such applications.
  - a. True
  - b. False
  
4. Per the 2025 California Electrical Code, Section 210.8(6), a 250 Volt AC, 50-amp range receptacle must be provided with ground fault circuit interrupter protection.
  - a. When installed in a garage.
  - b. When installed in a kitchen.
  - c. When installed in a boat house.
  - d. All of the above.
  
5. Per the 2025vCalifornia Electrical Code, Section 406.12, all 15- and 20-ampere, 125- and 250-volt nonlocking-type receptacles in the following locations shall be listed as tamper-resistant receptacle.
  - a. When installed in a boat house.
  - b. When installed in a detached garage.
  - c. When installed in a bedroom.
  - d. All of the Above.